

# Oracle 1Z0-149

**Oracle Database 19c: Program with PL/SQL**

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version* = Product



# Latest Version: 6.0

## Question: 1

Which two PL/SQL elements can be deprecated using the DEPRECATE pragma? (Choose two.)

- A. PACKAGES
- B. VARIABLES
- C. ANONYMOUS BLOCK
- D. TRIGGER BODY
- E. DATABASE LINKS

**Answer: A, E**

## Question: 2

Which three are true about functions and procedures? (Choose three.)

- A. The ACCESSIBLE BY clause can be used only for procedures.
- B. In a function, every execution path must lead to a RETURN statement.
- C. Both can have only constants as actual parameters for IN mode parameters.
- D. Both can be invoked from within SQL statements.
- E. In a procedure the RETURN statement cannot specify an expression.
- F. In a function every RETURN statement must specify an expression.

**Answer: B, E, F**

## Question: 3

Which two are true about Conditional Compilation in PL/SQL using \$IF, \$ELSE, \$END, and \$ERROR? (Choose two.)

- A. PL/SQL code can be compiled and executed based on different versions of the operating system.
- B. PL/SQL code can be compiled and executed based on different versions of Oracle.
- C. It is newer syntax that works the same way as 'IF , ELSEIF , ELSE, and END IF'.
- D. Conditional compilation is disabled by default.
- E. The PL/SQL compiler can conditionally include selected parts of a program.

**Answer: B, E**

### Question: 4

Which three are true about the NOCOPY hint, the PARALLEL ENABLE hint, and the DETERMINISTIC clause? (Choose three.)

- A. The PARALLEL\_ENABLE clause can be used only in the CREATE FUNCTION statement.
- B. The NOCOPY hint asks the compiler to pass the actual parameters by reference.
- C. A deterministic function's results always depend on the state of session variables.
- D. The NOCOPY hint asks the compiler to pass the actual parameters by value.
- E. A function is deterministic if it always returns the same result for a specific combination of input values.
- F. The PARALLEL\_ENABLE clause can be specified for a nested function.
- G. A function defined with the PARALLEL\_ENABLE clause may be executed in parallel in a SELECT statement or a subquery in a DML statement.

**Answer: B, E, G**

### Question: 5









Which two are true about INDEX-BY tables? (Choose two.)

- A. The index can be integer or string.
- B. The index can be integer only.
- C. INDEX-BY table types can be created in PL/SQL blocks only.
- D. INDEX-BY table types can be created both with the CREATE TYPE statement and in PL/SQL blocks.
- E. INDEX-BY table types can be created with the CREATE TYPE statement.

**Answer: A, C**

For More Information – **Visit link below:**  
<https://www.certsgrade.com/>

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

**16 USD Discount Coupon Code: NB4XKTMZ**

