

*HP*

*HPE6-A81*

*Aruba Certified ClearPass Expert Written Exam*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version = Product*



# Latest Version: 6.0

## Question: 1

You are deploying ClearPass Policy Manager with Guest functionality for a customer with multiple Aruba Networks Mobility Controllers. The customer wants to avoid SSL errors during guest access but due to company security policy cannot use a wildcard certificate on ClearPass or the Controllers. What is the most efficient way to configure the customer's guest solution? (Select two.)

- A. Install the same public certificate on all Controllers with the common name "controller.{company domain}"
- B. Build multiple Web Login pages with vendor settings configured for each controller
- C. Build one Web Login page with vendor settings for captiveportal-controller (company domain)
- D. Build one Web Login page with vendor settings for controller (company domain)
- E. Install multiple public certificates with a different Common Name on each controller

**Answer: DE**

## Question: 2

Refer to the exhibit.

The screenshot shows a 'Request Details' window with four tabs: Summary, Input, Output, and Alerts. The 'Alerts' tab is selected. It displays the following information:

Error Code:	215
Error Category:	Authentication failure
Error Message:	TLS session error

**Alerts for this Request**

```
RADIUS EAP-TLS: fatal alert by client - unknown_ca
TLS Handshake failed in SSL_read with error:14094418:SSL routines:ssl3_read_bytes:tlsv1 alert
unknown ca
eap-tls: Error in establishing TLS session
```

At the bottom of the window, there is a status bar showing 'Showing 1 of 1-20 records' and four buttons: 'Show Configuration', 'Export', 'Show Logs', and 'Close'.

A customer has configured Onboard in a cluster with two nodes. All devices were onboarded in the network through node1 but those clients fail to authenticate through node2 with the error shown What steps would you suggest to make provisioning and authentication work across the entire cluster? (Select three)

- A. Configure the Network Settings in Onboard to trust the Policy Manager EAP certificate.
- B. Have all of the BYOO clients disconnect and reconnect to the network.
- C. Configure the Onboard Root CA to trust the Policy Manager EAP certificate root.
- D. Make sure that the EAP certificates on both nodes are issued by one common root Certificate Authority (CA).

**Answer: BCD**

### Question: 3

Refer to the exhibit.

**Customize Self-Registration**

**Login**  
Options controlling logging in for self-registered guests.

Enabled:

\* Vendor Settings:   
Select a predefined group of settings suitable for standard network configurations.

Login Method:   
Select how the user's network login will be handled.  
Server-initiated logins require the user's MAC address to be available, usually from the captive portal redirection process.

\* IP Address:   
Enter the IP address or hostname of the vendor's product here.

Secure Login:   
Select a security option to apply to the web login process.

Dynamic Address: ☐ The controller will send the IP to submit credentials  
In multi-controller deployments, it is often required to post credentials to different addresses made available as part of the original redirection. The address above will be used whenever the parameter is not available or fails the requirements below.

Security Hash:   
Select the level of checking to apply to URL parameters passed to the web login page.  
Use this option to detect when URL parameters have been modified by the user, for example their MAC address.

**Default Destination**  
Options for controlling the destination clients will redirect to after login.

\* Default URL:   
Enter the default URL to redirect clients.  
Please ensure you prepend "http://" for any external domain.

Override Destination: ☐ Force default destination for all clients  
If selected, the client's default destination will be overridden regardless of its value.

A customer with multiple Aruba Controllers has just installed a new certificate for ".customerdomain.com- on all Aruba Controllers While testing the existing guest Self-Registration page the customer noticed that the logins are failing While troubleshooting they are finding no entries in the Event Viewer or Access Tracker for the tests Suspecting that the Aruba Controllers may not be properly posting the credentials from the guest browser, they open the NAS Vendor Settings for the Guest Self-Registration Page.

- A. Add PTR records on the DNS server for "securelogin arubanetworks.com".

- 
- B. Change the "Secure Login" field to "Use Vendor Default".
  - C. Change the "IP Address" field to "securelogin.customerdomain.com"
  - D. Change the "IP Address" field to "captiveportal-login.customerdomain.com".

<b>Answer: D</b>
------------------

### Question: 4

Refer to the exhibit.

Configuration » Services » Edit - Health-Check

## Services - Health-Check

Summary Service Roles Enforcement

Use Cached Results: ☐ Use cached Roles and Posture attributes from previous sessions

Enforcement Policy: T-3-OnGuard [Modify](#)

[Add New Enforcement Policy](#)

### Enforcement Policy Details

Description:

Default Profile: [ArubaOS Wireless - Terminate Session]

Rules Evaluation Algorithm: first-applicable

Conditions	Enforcement Profiles
1. (Tips:Posture <b>EQUALS</b> HEALTHY (0))	T4-Healthy, [ArubaOS Wireless - Terminate Session]
2. (Tips:Posture <b>EQUALS</b> QUARANTINE (20))	T-4-Unhealthy, [ArubaOS Wireless - Terminate Session]

Configuration » Posture » Posture Policies » Edit - Windows

## Posture Policies - Windows

Summary Policy Posture Plugins Rules

Select one/more plugins:

Plugin Name	Plugin Configuration	Status
<input checked="" type="checkbox"/> ClearPass Windows Universal System Health Validator	<a href="#">Configure</a> <a href="#">View</a>	Configured
<input type="checkbox"/> Windows System Health Validator	<a href="#">Configure</a> <a href="#">View</a>	-
<input type="checkbox"/> Windows Security Health Validator	<a href="#">Configure</a> <a href="#">View</a>	-

Configuration » Posture » Posture Policies » Edit - Windows

## Posture Policies - Windows

Summary Policy Posture Plugins Rules

Rules Evaluation Algorithm: First applicable

Conditions	Posture Token
1. Passes all SHV checks - ClearPass Windows Universal System Health Validator	HEALTHY
2. Fails one or more SHV checks - ClearPass Windows Universal System Health Validator	QUARANTINE

[Add Rule](#) [Move Up ↑](#) [Move Down ↓](#) [Edit Rule](#) [Remove Rule](#)

### Request Details

Summary	Input	Output
Login Status:	ACCEPT	
Session Identifier:	W0000002e-01-5d5ce4f4	
Date and Time:	Aug 21, 2019 08:30:13 CEST	
End-Host Identifier:	7c5cf8cb1f0b	
Username:	7c5cf8cb1f0b	
Access Device IP/Port:	-	
System Posture Status:	UNKNOWN (100)	
<b>Policies Used -</b>		
Service:	Health-Check	
Authentication Method:	Not applicable	
Authentication Source:	-	
Authorization Source:	-	
Roles:	-	
Enforcement Profiles:	[ArubaOS Wireless - Terminate Session]	
Service Monitor Mode:	Disabled	

Showing 6 of 1-173 records [Change Status](#) [Show Configuration](#) [Export](#) [Show Logs](#) [Close](#)



What could be causing the error message received on the OnGuard client?


- A. The Service Selection Rules for the service are not configured correctly
- B. The Health-Check service does not have Posture Compliance option enabled

- C. The client's OnGuard Agent has not been configured with the correct Policy Manager Zone.
- D. There is a firewall policy not allowing the OnGuard Agent to connect to ClearPass

**Answer: A**

## Question: 5

Refer to the exhibit.



The screenshot shows the Aruba login interface. At the top is the Aruba logo. Below it, a message reads: "Please login to the network using your username and password." followed by "To create a new account click [Create Account](#)." The login form has a blue header with the word "Login". It contains fields for "Username:" and "Password:". The username field contains "scck@exam.com" and is highlighted with a red border. Below the username field, a red error message states "Invalid username or password". The password field is filled with dots. Below the password field, there is a "Terms:" section with a checked checkbox and the text "I accept the terms of use". At the bottom of the form is a blue "Log In" button. Below the form, a message reads: "Contact a staff member if you are experiencing difficulty logging in."

Contact a staff member if you are experiencing difficulty logging in.

Request Details

Summary

Input

Output

Alerts

Login Status:

REJECT

Session Identifier:

W0000000c-01-5d88e82b

Date and Time:

Sep 23, 2019 11:43:40 EDT

End-Host Identifier:

-

Username:

accr@exam.com

Access Device IP/Port:

-:-

System Posture Status:

-

Policies Used -

Service:

-

Authentication Method:

Not applicable

Authentication Source:

-

Authorization Source:

-

Roles:

-

Enforcement Profiles:

-

Service Monitor Mode:

-

Online Status:

Not Available

Showing 1 of 1-16 records

Show Configuration

Export

Show Logs

Close

Request Details

Summary

Input

Output

Alerts

Error Code: 204  
Error Category: Authentication failure  
Error Message: Failed to classify request to service  
**Alerts for this Request**  
WebAuthService: ServiceClassification failed (No service matched)

Configuration > Services > Edit - ACCX Guest Access

Services - ACCX Guest Access

Summary

Service

Authentication

Roles

Enforcement

Service:

Name: ACCX Guest Access  
Description: To authenticate guest users logging in via captive portal. Guests must re-authenticate after their session ends.  
Type: RADIUS Enforcement ( Generic )  
Status: Enabled  
Monitor Mode: Disabled  
More Options: -

Service Rule

Match ALL of the following conditions:

	Type	Name	Operator	Value
1.	Radius:IETF	Calling-Station-Id	EXISTS	
2.	Connection	Client-Mac-Address	NOT_EQUALS	%{Radius:IETF:User-Name}
3.	Radius:Aruba	Aruba-Essid-Name	EQUALS	guest-labtest

**Authentication:**  
Authentication Methods: 1. [PAP]  
2. [MSCHAP]  
3. [CHAP]  
Authentication Sources: [Guest User Repository]  
Strip Username Rules: -  
Service Certificate: -

**Roles:**  
Role Mapping Policy: [Guest Roles]

**Enforcement:**  
Use Cached Results: Disabled  
Enforcement Policy: Accx Guest Access Enforcement Policy

Home > Configuration > Pages > Web Logins

Web Login (ACCX\_LabTest)

Use this form to make changes to the Web Login ACCX\_LabTest.



## Web Login (ACCX\_LabTest)

Use this form to make changes to the Web Login **ACCX\_LabTest**.

Web Login Editor	
* Name:	<input type="text" value="ACCX_LabTest"/> <small>Enter a name for this web login page.</small>
Page Name:	<input type="text" value="ACCX_TestPage"/> <small>Enter a page name for this web login. The web login will be accessible from "/guest/page_name.php".</small>
Description:	<div><div></div><div></div></div> <small>Comments or descriptive text about the web login.</small>
* Vendor Settings:	<div><div>Aruba Networks</div><div></div></div> <small>Select a predefined group of settings suitable for standard network configurations.</small>
Login Method:	<div><div>Controller-initiated — Guest browser performs HTTP form submit</div><div></div></div> <small>Select how the user's network login will be handled. Server-initiated logins require the user's MAC address to be available, usually from the captive portal redirection process.</small>
* Address:	<input type="text" value="securelogin.arubanetworks.com"/> <small>Enter the IP address or hostname of the vendor's product here.</small>
Secure Login:	<div><div>Use vendor default</div><div></div></div>
<b>Page Redirect</b> <small>Options for specifying parameters passed in the initial redirect.</small>	
Security Hash:	<div><div>Do not check — login will always be permitted</div><div></div></div> <small>Select the level of checking to apply to URL parameters passed to the web login page. Use this option to detect when URL parameters have been modified by the user, for example their MAC address.</small>
<b>Login Form</b> <small>Options for specifying the behaviour and content of the login form.</small>	
Authentication:	<div><div>Credentials — Require a username and password</div><div></div></div> <small>Select the authentication requirement. Access Code requires a single code (username) to be entered. Anonymous allows a blank form requiring just the terms or a Log In button. A pre-existing account is required. Auto is similar to anonymous but the page is automatically submitted. Access Code and Anonymous require the account to have the Username Authentication field set.</small>
Prevent CNA:	<div><div><input type="checkbox"/> Enable bypassing the Apple Captive Network Assistant</div><div>The Apple Captive Network Assistant (CNA) is the pop-up browser shown when joining a network that has a captive portal. Note that this option may not work with all vendors, depending on how the captive portal is implemented.</div></div>
Custom Form:	<div><div><input type="checkbox"/> Provide a custom login form</div><div>If selected, you must supply your own HTML login form in the Header or Footer HTML areas.</div></div>
Custom Labels:	<div><div><input type="checkbox"/> Override the default labels and error messages</div><div>If selected, you will be able to alter labels and error messages for the current login form.</div></div>
* Pre-Auth Check:	<div><div>App Authentication — check using Aruba Application Authentication</div><div></div></div> <small>Select how the username and password should be checked before proceeding to the NAS authentication.</small>
Terms:	<div><div><input type="checkbox"/> Require a Terms and Conditions confirmation</div><div>If checked, the user will be forced to accept a Terms and Conditions checkbox.</div></div>
Prevent CNA:	<div><div><input type="checkbox"/> Enable bypassing the Apple Captive Network Assistant</div><div>The Apple Captive Network Assistant (CNA) is the pop-up browser shown when joining a network that has a captive portal. Note that this option may not work with all vendors, depending on how the captive portal is implemented.</div></div>
Custom Form:	<div><div><input type="checkbox"/> Provide a custom login form</div><div>If selected, you must supply your own HTML login form in the Header or Footer HTML areas.</div></div>
Custom Labels:	<div><div><input type="checkbox"/> Override the default labels and error messages</div><div>If selected, you will be able to alter labels and error messages for the current login form.</div></div>
* Pre-Auth Check:	<div><div>App Authentication — check using Aruba Application Authentication</div><div></div></div> <small>Select how the username and password should be checked before proceeding to the NAS authentication.</small>
Terms:	<div><div><input type="checkbox"/> Require a Terms and Conditions confirmation</div><div>If checked, the user will be forced to accept a Terms and Conditions checkbox.</div></div>

A year ago, your customer deployed an Aruba ClearPass Policy Manager Server for a Guest SSID hosted in an IAP Cluster. The customer just created a new Web Login Page for the Guest SSID. Even though the previous Web Login page worked, tests with the new Web Login Page are failing, and the customer has forwarded you the above screenshots.

What recommendation would you give the customer to fix the issue?

- 
- A. The customer should reset the password for the username accxCdlexam.com using Guest Manage Accounts.
  - B. The service type configured is not correct. The Guest authentication should be an Application authentication type of service.
  - C. The Address filed under the WebLogin Vendor settings is not configured correctly. It should be set to instant, Aruba networks com,
  - D. The WebLogin Pre-Auth Check is set to Aruba Application Authentication which requires a separate application service on the policy manager

<b>Answer: C</b>
------------------

---

For More Information – **Visit link below:**  
**<http://www.certsgrade.com/>**

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

Discount Coupon Code: **CERTSGRADE10**

