

# College Admission OCN

**ONCC@ Oncology Certified Nurse Test**

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version = Product*



# Latest Version: 6.0

## Question: 1

When a Buddhist patient dies, the family asks that no one touch the body for at least four hours. The most likely reason for this is that the family:

- A. Needs time to come to terms with the patient's death
- B. Believes that the soul stays with the body after death and needs time to leave in peace
- C. Wants time to pray for the patient's soul
- D. Wants time to wash and prepare the body

**Answer: B**

Explanation:

Because Buddhists believe that the soul stays with the body for some time after death, family members may wish to leave the deceased undisturbed for a period of time to allow the soul time to leave the body in peace. Buddhists believe that the soul experiences multiple lifetimes to learn necessary lessons and that actions in a previous lifetime influence the current life and that death is a natural part of the transition from one life to another.

## Question: 2

Which of the following is not routinely included as part of a diagnostic work-up for colorectal cancer?

- A. Barium enema
- B. Colonoscopy
- C. Bone marrow biopsy
- D. Carcinoembryonic antigen (CEA)

**Answer: C**

Explanation:

A bone marrow biopsy is not routinely performed as part of a diagnostic work-up for colorectal cancer. Barium enemas provide a clear picture of the large intestine and are useful in detection of smaller tumors. Colonoscopy provides increased visualization and the ability to biopsy lesions. CEA is elevated in later stages of colorectal cancer and may have prognostic value at diagnosis or disease recurrence.

## Question: 3

You are a registered nurse working in an outpatient infusion center and have begun administration of paclitaxel on a newly-diagnosed breast cancer patient. The patient

mentions that she is feeling flushed and shows you a small hive on her left cheek Your next course of action is to:

- A. Reassure the patient that this is a normal side effect of paclitaxel.
- B. Give the patient 50mg of IV Benadryl.
- C. Immediately stop the infusion and notify the oncologist.
- D. Decrease the rate of paclitaxel by 50%.

**Answer: C**

Explanation:

The patient is experiencing signs of an infusion reaction with the potential for anaphylaxis. The nurse must be alert to recognize signs and symptoms of an early infusion reaction to avoid an anaphylactic response. The first step in addressing an infusion reaction is to immediately stop the infusion and notify the physician.

### Question: 4

A 62-year-old male patient diagnosed with stage 3 small cell lung cancer is admitted to the oncology unit with somnolence, weakness, nausea, vomiting, and diffuse abdominal pain. His wife reports that he has become increasingly weak over the past three days and has exhibited a change in mental status. She reports that he has not had a bowel movement in five days. Which of the following oncologic complications is a likely explanation for the patient's clinical presentation?

- A. Superior vena cava syndrome
- B. Septic shock
- C. Liver metastasis
- D. Hypercalcemia

**Answer: D**

Explanation:

Hypercalcemia is the oncologic complication that presents with symptoms of mental status change, weakness, nausea, vomiting, constipation, and abdominal pain. Small cell lung cancer is a malignancy commonly associated with hypercalcemia. Superior vena cava syndrome presents as edema of the face, neck and upper extremities: respiratory compromise, chest pain, headache, dizziness and a feeling of facial fullness. The clinical features of septic shock include tachypnea, nausea, diarrhea, confusion, and ultimately oliguria and metabolic acidosis. The patient may experience some of these same symptoms with liver metastasis as well.

### Question: 5

Which of the following chemotherapeutic agents is classified as a Vinca alkaloid?

- A. Docetaxel

- B. Topotecan
- C. Oxaliplatin
- D. Vinblastine

**Answer: D**

Explanation:

Vinca alkaloids are a subset of chemotherapeutic drugs derived from the Madagascar periwinkle plant that exert their cytotoxic effects by halting cell division and causing cell death. Vinblastine is a plant alkaloid, and more specifically, a Vinca alkaloid. Docetaxel is also a plant alkaloid, derived from Taxanes. Topotecan is also plant alkaloid but is more specifically classified as a Camptothecin analog. Oxaliplatin is not a plant alkaloid; it is an alkylating agent known as a 'metal salt'.

### Question: 6

Which of the following treatment examples best describes adjuvant therapy?

- A. A 53-year-old patient receives chemotherapy and radiation for a diagnosis of stage 3 breast cancer
- B. A 64-year-old patient diagnosed with stage 3 ovarian cancer receives chemotherapy after undergoing a total abdominal hysterectomy and bilateral salpingo-oophorectomy
- C. A 42-year-old patient diagnosed with stage 1 breast cancer undergoes a lumpectomy with lymph node biopsy
- D. An 80-year-old patient diagnosed with chronic leukemia receives oral chemotherapy with regular monitoring by her oncologist

**Answer: B**

Explanation:

Adjuvant therapy is an additional cancer treatment given after the primary treatment to minimize the risk of cancer recurrence. In example B, the patient underwent surgery as a primary treatment with chemotherapy given as adjuvant therapy. Primary treatment is defined as the first treatment given and is also referred to as first line treatment, induction treatment or primary therapy.

### Question: 7

A 60-year-old male patient newly diagnosed with small cell carcinoma of the right lung is admitted to the oncology unit with a chief complaint of facial and neck swelling as well as a cough. A diagnosis of superior vena cava syndrome is made. Which of the following treatment options would you expect to see ordered for this patient?

- A. Thoracentesis under local anesthesia
- B. Chemotherapy with adjuvant radiation therapy
- C. Transfusion of two units of packed red blood cells

D. Surgical consultation to place a chest tube

**Answer: B**

Explanation:

The correct answer is chemotherapy with adjuvant radiation therapy to shrink the tumor and to elevate the obstruction that is causing the syndrome. Thoracentesis and chest tube placement would be viable treatment options for a pleural effusion. Transfusion of packed red blood cells would not be a suitable treatment option for superior vena cava syndrome.

### Question: 8

Which of the following would you include as part of discharge instructions for a patient diagnosed with head and neck cancer and who has received radiation therapy?

- A. Apply soothing ointments to the lips for dryness and cracking.
- B. Use a soft, nylon toothbrush when brushing teeth.
- C. Rinse the mouth several times per day with a baking soda and warm water solution.
- D. All of the above

**Answer: D**

Explanation:

Patients diagnosed with head and neck cancer who are being treated with radiation therapy are at risk for oral mucositis. Application of soothing ointments for dryness of the lips, using a soft nylon toothbrush, oral baking soda rinses and moistening food with sauces or gravies are all appropriate teaching points for patients undergoing radiation therapy to the head and neck.

### Question: 9

Which chromosome is associated with chronic myelogenous leukemia?

- A. Chromosome 7
- B. Philadelphia chromosome
- C. Chromosome 13
- D. P53

**Answer: B**

Explanation:

The Philadelphia chromosome is present in nearly all CML cases and is detected by cytogenetic analysis. In only 5-10% of CML cases is the Philadelphia chromosome absent. Chromosome 7 is linked to leukemia, lymphomas and MDS syndrome. Chromosome 13 is linked to retinoblastoma and other types of cancer. P53 is a tumor suppressor protein.

## Question: 10

A patient presents with a new diagnosis of non-small cell lung cancer. In the patient's medical record, you learn that the tumor in the right lung is 4 cm x 6 cm and has invaded the visceral pleur

a. There is evidence of metastases in the mediastinal and subcarinal nodes as well as distant metastasis in the liver. Based on TNM staging, you realize that the patient has which stage of non-small cell lung cancer?

- A. Stage 2
- B. Stage 3a
- C. Stage 3b
- D. Stage 4

**Answer: D**

Explanation:

The TNM system for cancer staging outlined by the American Joint Committee on Cancer (AJCC) assesses three basic components: size of the primary tumor, absence or presence of regional lymph nodes and the absence or presence of distant metastatic disease. Any evidence of distant metastasis per TNM staging would classify the cancer as stage 4.

## Question: 11

Which of the following is an example of a "B symptom" associated with lymphoma?

- A. Headache
- B. Painful lymph nodes
- C. Night sweats
- D. Edema

**Answer: C**

Explanation:

"B symptoms" associated with a lymphoma diagnosis are a key factor in the staging of the disease. The presence of B symptoms is associated with a poorer prognosis. Unexplained fever, drenching night sweats, weight loss and pruritus are all B symptoms associated with lymphoma. Headache, edema, and painful lymph nodes are not classified as B symptoms.

## Question: 12

A 25-year-old female patient newly diagnosed with stage 4 Hodgkin's lymphoma presents to the outpatient oncology unit for her first dose of chemotherapy. You receive orders to administer ABVD. Which of the following would be appropriate to teach the patient regarding her chemotherapy?

- A. "The chemotherapy will be administered intravenously. If you experience any pain or burning at your IV site, notify me right away as some of the medications can cause tissue damage if they leak out of the vein into the tissue."
- B. "Your chemotherapy drugs are considered monoclonal antibodies and may cause an allergic reaction. Please let me know if you experience fever, chills, nausea, or sweating during your infusion."
- C. "The chemotherapy you are receiving can does not affect fertility. You can continue to family plan as usual."
- D. "The chemotherapy you are receiving is not likely to cause hair loss."

**Answer: A**

Explanation:

Vesicant chemotherapeutic agents such as those utilized in ABVD have the potential to cause severe tissue damage if they leak into the subcutaneous tissue during an extravagation. ABVD can cause infertility as well as birth defects. None of the medications in ABVD are classified as monoclonal antibodies. ABVD will cause hair loss as a side effect.

### Question: 13

Which of the following agents is classified as a wrosine kinase inhibitor?

- A. Rituximab
- B. Bortezomib
- C. Trastuzumab
- D. Sunitinib

**Answer: D**

Explanation:

Tyrosine kinase inhibitors are defined as antineoplastic agents that interfere with cell communication and growth through inhibition of the tyrosine kinase enzyme. Sunitinib is a Vrosine kinase inhibitor indicated in the treatment of gastrointestinal stromal tumors. Rituximab and trastuzumab are classified as monoclonal antibodies. Bortezomib is a proteasome inhibitor.

### Question: 14

One of the most common primary cancers with a high incidence of brain metastasis includes:

- A. Melanoma
- B. Non-Hodgkin's lymphoma
- C. Ovarian cancer
- D. Thyroid cancer

**Answer: A**

Explanation:

Approximately 170,000 cases of brain metastases are diagnosed in the United States each year. Although any malignancy can lead to metastasis, melanoma and lung, breast, renal, and colon cancers account for the greatest majority of brain metastases. Sixty-five percent of melanomas metastasize to the brain. Lymphoma, ovarian cancer and thyroid cancer are not common cancers with brain metastases.

### Question: 15

The malignancies most associated with cardiac tamponade include all of the following EXCEPT:

- A. Breast cancer
- B. Lymphoma
- C. Leukemia
- D. Thyroid cancer

**Answer: D**

Explanation:

Breast cancer, lymphoma, and leukemia all pose the greatest risk for the development of cardiac tamponade. This condition is an oncologic emergency with the severity dependent upon the amount of fluid in the pericardium, the rate of fluid accumulation, and the level of pericardial compromise caused by the cancer.

For More Information – **Visit link below:**  
<https://www.certsgrade.com/>

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

16 USD Discount Coupon Code: **NB4XKTMZ**



Visit us at: <https://www.certsgrade.com/pdf/ocn>