

Oracle 1Z0-106

Oracle Linux 8 Advanced System Administration

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Latest Version: 6.0

Question: 1

Which two statements are true about the GRUB 2 bootloader?

- A. Its configuration can be changed by editing `/etc/default/grub2` and executing `grub2-mkconfig` to regenerate `grub2.cfg`.
- B. It can load many free operating systems directly and chain-load proprietary operating systems.
- C. Its configuration file is `/boot/grub2/grub2.conf` on BIOS-based systems.
- D. It understands file systems and kernel executable formats, allowing the loading of operating systems without recording the on-disk physical location of the kernel.

Answer: B, D

Question: 2

Which `mdadm` command creates a RAID-1 device consisting of two block volumes and one spare device?

- A. `mdadm --create /dev/md0 --level=5 --raid-devices=2 /dev/xvdd1 /dev/xvdd2 --spare-devices=1 /dev/xvdd3`
- B. `mdadm --create /dev/md0 --level=1 --raid-devices=2 /dev/xvdd1 /dev/xvdd2`
- C. `mdadm --create /dev/md0 --level=1 --raid-devices=2 /dev/xvdd1 /dev/xvdd2 --spare-devices=1 /dev/xvdd3`
- D. `mdadm --create /dev/md0 --level=0 --raid-devices=2 /dev/xvdd1 /dev/xvdd2 --spare-devices=1 /dev/xvdd3`

Answer: C

Question: 3

Which two statements are true about naming network interfaces?

- A. Consistent device naming is enabled by default.
- B. The `udev` device manager generates device names based on a series of schemes.
- C. The `udev` device manager uses a random number if all other schemes fail.
- D. Device names cannot be manually configured.
- E. Device names incorporate the physical location and hot plug slot index number.

Answer: A, B

Question: 4

Which two default user account settings are contained in `/etc/login.defs`?

- A. Decryption method used to decrypt passwords.
- B. User hashed passwords.
- C. Group hashed passwords.
- D. Password aging controls.
- E. Encryption method used to encrypt passwords.

Answer: D, E

Question: 5

Examine these commands, which execute successfully:

```
# firewall-cmd --zone=public --add-service=cockpit --permanent  
# firewall-cmd --zone=public --add-port=1313/tcp --permanent  
# firewall-cmd --reload
```

Which are true upon execution?

- A. The Cockpit service is added only to the public zone.
- B. Egress traffic is allowed for the Cockpit service only when using port 1313.
- C. Runtime firewall configuration is not lost when the `firewalld` process is restarted or the system is rebooted.
- D. Port 1313 blocks all traffic for the public zone except for ingress traffic to the Cockpit service.
- E. The custom Cockpit service configuration file is updated in `/usr/lib/firewalld/services`.

Answer: A, C

For More Information – Visit link below:
<https://www.certsgrade.com/>

PRODUCT FEATURES

- ✚ 100% Money Back Guarantee
- ✚ 90 Days Free updates
- ✚ Special Discounts on Bulk Orders
- ✚ Guaranteed Success
- ✚ 50,000 Satisfied Customers
- ✚ 100% Secure Shopping
- ✚ Privacy Policy
- ✚ Refund Policy

16 USD Discount Coupon Code: **NB4XKTMZ**

