

NCC

RNC-LRN

Low-Risk Neonatal Intensive Care Nursing

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Latest Version: 6.0

Question: 1

The focal point of any research study that drives all other aspects of the investigation is the:

- A. Hypothesis
- B. Research design
- C. Selection of participants

Answer: A

Question: 2

Which of the following distinguishes metabolic acidosis from respiratory acidosis?

- A. Decreased base deficit
- B. Decreased pH
- C. Increased PCO₂

Answer: A

Question: 3

A breastfeeding mother develops redness on her right breast accompanied by fever, chills, and headache. In addition to antibiotic therapy, an appropriate intervention would be

- A. Cold compress to the affected breast
- B. Continue to breastfeed to empty affected breast
- C. Discontinue breastfeeding until the symptoms subside

Answer: B

Question: 4

How should a newborn delivered with meconium staining who is responsive be managed?

- A. Always suction at the perineum
- B. No suction if baby is active and does not require resuscitation

C. Suction only after the airway has been inspected

Answer: B

Question: 5

A breastfeeding woman gave birth to twins. One twin was diagnosed with a heart problem and was kept in the hospital for surgery. The other twin was discharged home. At three weeks postpartum, the father calls the nursery explaining his wife is feeling overwhelmed, anxious, and is unable to cope with the infant at home. The nurse should recognize that this woman's behaviors are most likely due to:

- A. Early signs of postpartum depression
- B. Poor maternal infant attachment
- C. Sleep deprivation and exhaustion

Answer: A

Question: 6

The most appropriate diagnostic procedure to confirm a pneumothorax is:

- A. Needle aspiration
- B. Thoracentesis
- C. X-ray

Answer: C

Question: 7

At what rate per minute should chest compressions be done?

- A. 80
- B. 90
- C. 100

Answer: B

Question: 8

Bioavailability describes the:

- A. Distribution of a drug to various organs, fluids and tissues
- B. Extent to which a drug enters the systemic circulation
- C. Translocation of a drug from the act of administration into the systemic circulation

Answer: C

Question: 9

Compared to breast milk, pre breast milk is composed of:

- A. Higher carbohydrate content
- B. Higher lipid content
- C. Higher protein content

Answer: C

Question: 10

The unsensitized Rh-negative mother whose baby is Rh positive should:

- A. Have the father's blood type deined
- B. Not receive further treatment
- C. Receive Rhogam within 72 hours

Answer: C

Question: 11

Infants of diabetic mothers are at risk for:

- A. Congenital anomalies
- B. Inborn errors of metabolism
- C. Pulmonary hypoplasia

Answer: A

Question: 12

Delayed cord clamping has what effect?

-
- A. Decreases incidence of anemia in the newborn
 - B. Increases risk of pathological jaundice
 - C. Is contraindicated in pre delivery

| |
|------------------|
| Answer: A |
|------------------|

For More Information – **Visit link below:**
<https://www.certsgrade.com/>

PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

16 USD Discount Coupon Code: **NB4XKTMZ**



Visit us at <https://www.certsgrade.com/pdf/rnc-lrn/>