

Nuage Networks

4A0-N07

Nuage Networks Virtualized Network Services (VNS) Operations

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Latest Version: 6.0

Question: 1

Which of the VSD encryption modes enables connectivity from VSCs in both clear and encrypted format?
Response:

- A. Dual
- B. Clear
- C. Allow
- D. Require

Answer: C

Question: 2

Which of the following VSD service abstractions is a logical network that enables layer-2 communications between hosts?
Response:

- A. Domain
- B. Subnet
- C. Zone
- D. V-Port

Answer: B

Question: 3

Based on the exhibit, which Dst MAC addresses used by the BH-VPLS provide connectivity between NSG-1 and NSG-2?



Response:

- A. NSG-1 MAC 00:00:C0:A8:0A:03 and NSG-2 MAC 00:00:C0:A8:0A:30
- B. NSG-1 MAC 00:00:C0:A8:0A:33 and NSG-2 MAC 00:00:C0:A8:0A:44
- C. NSG-1 MAC 00:00:C0:A8:0A:CC and NSG-2 MAC 00:00:C0:A8:0A:11
- D. NSG-1 MAC 00:00:C0:A8:0A:02 and NSG-2 MAC 00:00:C0:A8:0A:03

Answer: D

Question: 4

Under what circumstances does the NSG establish an encrypted MP-BGP EVPN session with the VSC?
Response:

- A. Immediately after bootstrapping is successful.
- B. The NSG establishes a BGP session to a PE device.
- C. The NSG establishes a BGP session to another branch NSG.
- D. The NSG establishes a BGP session to a branch CPE device.

Answer: D

Question: 5

Which of the following is a mandatory HTTP header in all POST messages in the VSD REST API?
Response:

- A. X-Nuage-Page
- B. Content-type
- C. X-Nuage-Filter
- D. X-Nuage-OrderBy

Answer: B

Question: 6

Which of the following is performed by the VSD for NSG deployment?
Response:

- A. Generate an X.509 certificate for the VSC to use in the control plane TLS session.
- B. Set up an HTTPS session to the notification application on the utility server.
- C. Generate an X.509 certificate for the notification application on the utility server.
- D. Set up an XMPP-TLS session to the proxy application on the utility server.

Answer: A

Question: 7

Which of the following is a characteristic of a VSD cluster deployment?

Response:

- A. Runs in a N-to-one redundancy model.
- B. The MySQL and XMPP clusters have latency requirements so the cluster members cannot be deployed at a distance.
- C. An HTTP load balancer is used to distribute XMPP messages from the VSCs to the cluster members.
- D. A separate node is required to back up the cluster members.

Answer: B

Question: 8

An NSG is operating with the controllerless mode disabled and auto deactivation enabled. Which of the following describes what will happen when the NSG loses connectivity to the VSC?









Response:

- A. Flushes local and remote routes immediately.
- B. Flushes the local routes when the local timer expires.
- C. Flushes the remote routes when the remote timer expires.
- D. Continues forwarding traffic for the length of the audit timer.

Answer: D

For More Information – **Visit link below:**
<https://www.certsgrade.com/>

PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

16 USD Discount Coupon Code: **NB4XKTMZ**

