

# SAP

*P\_C4H340\_34*

*SAP Certified Professional - Developer - SAP Commerce Cloud*

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version = Product*



---

# Latest Version: 7.1

## Question: 1

Which of the following scenarios can be supported directly with the promotion module's out-of-the-box functionality? Note: There are 2 correct answers to this question.

- A. When you purchase 2 category X products, receive 30% off all category Y products.
- B. When you spend at least 200 dollars on category X products, get 30% off category Y products and category Z products.
- C. When you spend at least 200 dollars on category X products, and not more than 100 dollars on Category Y products, get 30% off all category Z products.
- D. When you buy 1 category X product and 1 category Y product, get 30% off any products added by CSA using the ASM module.

**Answer: A, D**

## Question: 2

Which of the following relations are defined in the data model for Personalization (based on SmartEdity? Note: There are 2 correct answers to this question.

- A. A one-to-many relation between CxCustomization and CxVariation
- B. A many-to-many relation between CxSegmentTrigger and CxSegment
- C. A one-to-many relation between CxExpression Trigger and CxSegment
- D. A many-to-many relation between CxVariation and CxAbstractAction

**Answer: A, B**

## Question: 3

Interceptors allow you to monitor and change the course of any model's lifecycle within SAP Commerce Cloud. However, for performance reasons, interceptors can also be disabled in API calls or with ImpEx. Which of the following are the correct properties to use when disabling interceptors? Note: There are 2 correct answers to this question.

- A. disable.interceptor.ids
- B. disable.interceptor.beans
- C. disable.interceptor.types
- D. disable.interceptor.for.types

---

**Answer: B, C**

### Question: 4

You are implementing a new custom promotion action that changes the delivery mode of an order. What steps are required to make sure that the effects of this action are reverted as soon as the condition that triggered it is NO longer fulfilled? Note: There are 2 correct answers to this question.

- A. Implement the undo method in your custom rule action strategy.
- B. Implement your custom action item so that it can store the original delivery mode.
- C. Create a promotion that uses the inverse action if the condition is NOT fulfilled.
- D. Define a new session attribute to store the original delivery mode.

**Answer: A, D**

### Question: 5

Which configuration options are available on a cache region? Note. There are 3 correct answers to this question.

- A. Clustering enabled
- B. Eviction policy
- C. Persistence mode
- D. Statistics enabled
- E. Size

**Answer: B, D, E**

### Question: 6

Your solution has been live for a significant period of time. Now you need to update project data across multiple environments, but this update should be run only once.

What is the recommended approach for updating the project data?

- A. Extract a SQL script of all the changes in a single environment, where a DBA can then run directly against the database for all remaining environments.
- B. With each deployment, manually import the ImpEx files through the Admin Console or through the ant importimpex target.
- C. Create a class that extends AbstractPatchesSystemSetup and configure any data patches, to run an import of your ImpEx files during an update.
- D. Create a class that extends AbstractSystemSetup, and use the @SystemSetup annotation with TYPE.PROJECT, to run an import of your ImpEx files during an update.

**Answer: C**

### Question: 7

Which of the following is a mechanism used by WCMS to position components on a page"

- A. The component's CurrentPosition attribute is used to determine which component on the page in which the item should be displayed.
- B. The Page item has a position map that links each component to the component on the page in which the item should be displayed.
- C. The ContentSlot item's code property is used to determine the slot on the page where the item should be displayed
- D. The position attribute in the ContentSlotFor Template item is used to identify the slot on the page where the item should be displayed.

**Answer: D**

### Question: 8

What are the advantages of using classification attributes? Note. There are 2 correct answers to this question.

- A. Classification attributes are preferred in situations where there are more than two variance selectors.
- B. Certification attributes are more efficient, and they produce simpler queries and business logic.
- C. Technical users can create and modify classification attribute definitions using ImpEx.
- D. When modifying, rebuilding and redeployment are NOT required.

**Answer: C, D**

### Question: 9

You have created your products and price rows using the approach displayed in the following ImpEx file.

```
$catalog-id-Default
$catalog-version-Staged
$catalogversion=catalogversion(catalog(id),version)[unique=true,default=$catalog id:$catalog version]

INSERT_UPDATE Product;code[unique=true];$catalogversion;name[lang-en];unit(code);approvalStatus(code);
;product1;;product1;pieces;approved;
;product2;;product2;pieces;approved;
#in total 1000 product data lines

INSERT_UPDATE PriceRow;productId[unique=true];price;unit(code);currency(isocode)
;product1;100;pieces;EUR
;product2;200;pieces;EUR
#in total 1000 price row data lines
```

After you import this file, and synchronize the catalogs (Staged to Online), how many items are stored in the database?

- 
- A. 1000 products and 2000 price rows
  - B. 1000 products and 1000 price rows
  - C. 2000 products and 1000 price rows
  - D. 2000 products and 2000 price rows

**Answer: C**

### Question: 10

What should you pay attention to when connecting widget A to widget B?

- A. The type of A's input socket should be the same as B's output socket.
- B. The type of A's output socket must match B's input socket, using either inheritance or Java generics.
- C. The type of A's output socket must be the same as B's input socket
- D. Both A's output socket type and B's input socket type must be a composed item type.

**Answer: C**

For More Information – **Visit link below:**  
<https://www.certsgrade.com/>

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

16 USD Discount Coupon Code: **NB4XKTMZ**



Visit