

# Dell EMC D-ECS-DY-23

**Dell Technologies ECS Deploy 2023**

**Questions And Answers PDF Format:**

**For More Information – Visit link below:**

**<https://www.certsgrade.com/>**

*Version* = Product



# Latest Version: 6.0

## Question: 1

How can an administrator avoid replicating a bucket and NOT use the global protection feature of ECS?  
Response:

- A. Create a replication group with the local VDC
- B. Choose local or remote protection from the drop-down list during bucket creation
- C. Global protection feature must be used
- D. Disable ECS replication

**Answer: A**

## Question: 2

Which configuration task is optional in ECS when enabling NetWorker with CloudBoost and ECS integration?  
Response:

- A. Create a dedicated namespace for CloudBoost storage
- B. Generate with S3 secret key to add to the CloudBoost configuration
- C. Create an object user account for CloudBoost access
- D. Create a dedicated storage pool for CloudBoost storage

**Answer: D**

## Question: 3

What must be configured prior to installing HAL and ECS services?  
Response:

- A. Private.4
- B. Secure Remote Services file
- C. Service Console
- D. Topology file

**Answer: D**

### Question: 4

After which step in the ECS 3.4 implementation process is it necessary to reinstall ECS if it becomes necessary to change node IP addresses?

Response:

- A. ECS configuration
- B. IPs can be changed at any time
- C. Installing fabric
- D. Installing HAL

**Answer: B**

### Question: 5

Which type of license is required to add additional VDCs to a federation?

Response:

- A. Replication
- B. Capacity
- C. Expansion-Capacity
- D. D@RE

**Answer: B**

### Question: 6

Which port is available for the ECS REST API?

Response:

- A. 2049
- B. 4443
- C. 8080
- D. 9081

**Answer: B**

### Question: 7

When is D@RE enabled on a bucket or namespace?

Response:

- A. Any time for namespace, only at creation of bucket
- B. Any time for bucket, only at creation of namespace
- C. Only at time of creation
- D. Any time for both bucket and namespace

**Answer: C**

### Question: 8

A single VDC environment has multiple ECS Gen3 racks. How does the Nile Area Network (NAN) communicate between the ECS Gen3 racks?

Response:

- A. Fox/Hound port 41 and 45
- B. Hare/Rabbit port 16 and 17
- C. Turtle port 51 or 52
- D. Management port node 1 or 2

**Answer: A**

### Question: 9

Which type of load balancer can be configured to proactively conduct health checks of ECS nodes and remove unavailable nodes from the rotation?

Response:

- A. Physical/virtual
- B. HA proxy
- C. Manual IP
- D. DNS round robin

**Answer: A**

### Question: 10

By default, how long does ECS retain capacity utilization data in monitoring history?

Response:









- A. 1 day
- B. 7 days

- C. 60 days
- D. 1 year


**Answer: C**

For More Information – **Visit link below:**  
<https://www.certsgrade.com/>

## PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

**16 USD Discount Coupon Code: NB4XKTMZ**



Visit us at: <https://www.certsgrade.com/pdf/d-ecs-dy-23>