

# Fortinet

## FCP\_FMGM\_AD-7.4

### FCP - FortiManager 7.4 Administrator

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>


*Version* = Product



# Latest Version: 6.0

## Question: 1

Exhibit.



Given the configuration shown in the exhibit, which two statements are true? (Choose two.)

- A. An administrator can also lock the Local-FortiGate\_root policy package.
- B. FortiManager is in workflow mode.
- C. The FortiManager ADOM is locked by the administrator.
- D. The FortiManager ADOM workspace mode is set to Normal

**Answer: A, B**

## Question: 2

An administrator enabled workspace mode and now wants to delete an address object that is currently referenced in a firewall policy. Which two results can the administrator expect? (Choose two.)

- A. FortiManager will temporarily change the status of the referenced firewall policy to disabled.
- B. FortiManager will disable the status of the address object until the changes are installed.
- C. FortiManager will not allow the administrator to delete a referenced address object until they lock the ADOM.
- D. FortiManager will replace the deleted address object with the none address object in the referenced firewall policy.

**Answer: C, D**

## Question: 3


What is the purpose of ADOM revisions?

- A. To save the current state of the whole ADOM
- B. To save the current state of all policy packages and objects for an ADOM
- C. To revert individual policy packages and device-level settings for a managed FortiGate
- D. To save the FortiManager configuration in the System Checkpoints

**Answer: B**

**Question: 4**

Refer to the exhibit.



An administrator has created a firewall address object that is used in multiple policy packages for multiple FortiGate devices in an ADOM.

After the installation operation is performed, which IP/netmask is shown on FortiManager for this firewall address object for devices without a Per-Device Mapping set?

- A. FortiManager generates an error for each FortiGate without a per-device mapping defined for that object.
- B. 192.168.1.0/24
- C. 192.168.1.0/28
- D. FortiManager replaces the address object to none.

**Answer: C**

## Question: 5

Exhibit.

```
FortiManager # diagnose dvm device list
--- There are currently 1 devices/vdoms managed ---
--- There are currently 1 devices/vdoms count for license ---

TYPE          OID    SN              HA    IP          NAME          ADOM    IPS          FIRMWARE
fmgfaz-managed 325    FGVH010000077646 -    10.0.1.200    ISFW          ADOM2    6.00741 (regular) 7.0 MR4 (2463)
|- STATUS: dev-db: modified; conf: in sync; cond: pending; dm: retrieved; conn: up
|- vdom:[3]root flags:1 adom:ADOM2 pkg: [imported]ISFW
```

Which two statements about the output are true? (Choose two.)

- A. The latest revision history for the managed FortiGate does not match the device-level database.
- B. Configuration changes have been installed on FortiGate, which means the FortiGate configuration has been changed.
- C. Configuration changes directly made on FortiGate have been automatically updated to the devicelevel database.
- D. The latest revision history for the managed FortiGate does match the FortiGate running configuration.

**Answer: A, D**

For More Information – **Visit link below:**  
<https://www.certsgrade.com/>

## PRODUCT FEATURES

- ✚ **100% Money Back Guarantee**
- ✚ **90 Days Free updates**
- ✚ **Special Discounts on Bulk Orders**
- ✚ **Guaranteed Success**
- ✚ **50,000 Satisfied Customers**
- ✚ **100% Secure Shopping**
- ✚ **Privacy Policy**
- ✚ **Refund Policy**

16 USD Discount Coupon Code: **NB4XKTMZ**



Visit us at: <https://www.certsgrade.com/pdf/fcp-fmg-ad-7-4>