

CWNP CWDP-305

Wireless Design Professional (CWDP)

Questions And Answers PDF Format:

For More Information – Visit link below:

<https://www.certsgrade.com/>

Version = Product



Latest Version: 6.0

Question: 1

When designing a static channel plan for an office using voice devices near an airport, which range of channels should be avoided to ensure optimal performance when implemented?

Response:

- A. 1-11
- B. 36-40
- C. 116-124
- D. 44-48

Answer: C

Question: 2

What level of documentation do large enterprise deployments require that the network designer provide?

Response:

- A. Depends on complexity and scope
- B. Always requires HLD, LLD, operation and maintenance manuals, employee handbooks, and help desk manuals
- C. Requires at least an HLD and an LLD
- D. Enterprises may not require any documentation.

Answer: A

Question: 3

When performing an analysis of device roam times, which of the following would be sufficient?

Response:

- A. Doing standard ping tests
- B. Configuring your analyzer to scan the channels of nearby APs
- C. Locking your analyzer into the specific channel your client is currently on
- D. Using a multichannel capture utility
- E. Looking at RADIUS server logs for reauthentications on roams

Answer: D

Question: 4

For what purpose is SSID hiding generally useful?

(Choose all that apply.)

Response:

- A. Obscuring the network name from potential attackers
- B. Preventing guests from attempting to join the secured corporate network
- C. Preventing legitimate corporate users from finding the guest network
- D. Minimizing help desk calls from users and guests attempting to join the wrong network

Answer: B,D

Question: 5

During your first pre-deployment meeting with the deployment team, you hand out the full design documentation to all of them. What's your primary goal during this meeting?

Response:

- A. To explain how Wi-Fi works.
- B. To explain design decisions and ensure understanding of design documents.
- C. To discuss AP functionality.
- D. To justify the budget.

Answer: B

Question: 6

Of the following antenna connector types, which one is the smallest?

Response:

- A. RP-TNC
- B. MC Connector
- C. N Connector
- D. Male N Connector

Answer: B

Question: 7

Which DHCP option, when required, should be configured and enabled to help APs locate their wireless LAN controller?

Response:

- A. 150
- B. 62
- C. 43
- D. 22

Answer: C

Question: 8

What is the most suitable antenna option to be used when designing a WLAN infrastructure with APs mounted on a ceiling with a height of more than 20 feet and having all of the client stations used from the floor?

Response:

- A. Low-gain dipole
- B. Grid
- C. Dish
- D. Patch

Answer: D

Question: 9

At which layer of the OSI model does ARP operate?

Response:

- A. Layer 2
- B. Layer 3
- C. Layer 4
- D. Layer 6

Answer: A

Question: 10

What kind of site survey helps you identify if roaming is working as designed?

Response:

- A. Passive
- B. Predictive
- C. Active
- D. Spectrum analysis walkthrough

Answer: C

For More Information – **Visit link below:**
<https://www.certsgrade.com/>

PRODUCT FEATURES

-  **100% Money Back Guarantee**
-  **90 Days Free updates**
-  **Special Discounts on Bulk Orders**
-  **Guaranteed Success**
-  **50,000 Satisfied Customers**
-  **100% Secure Shopping**
-  **Privacy Policy**
-  **Refund Policy**

16 USD Discount Coupon Code: **NB4XKTMZ**

